







ALD №	Фото	OE №	Применяемость
XZQ527 DIODES TRIO BO		DELCO 1975328 1984459 1985348 D3920 DR3922 DR3923 LUCAS 21226110 MOTOROLA RDTG TRANSPO D527	DELCO 10. 12. 15. 17. SI Alternators
XZQ528 DIODES TRIO DR 10SI		DELCO 1975328 1984459 1985348 D3920 DR3922 DR3923 LUCAS 21226110 MOTOROLA RDTG TRANSPO D528	DELCO 10. 12. 15. 17. SI Alternators
XZQ985 DIODES TRIO DR 21SI		DELCO 1988985 D3927 DUBOIS 501-006 TRANSPO D985	DELCO 17&21 SI Alternators
XZQ182 DIODES TRIO DR 33SI		DELCO 10491182 J&N ELECTRIC 171-12106 TRANSPO DT182 WAI 33-109	Industrial Agricultural Delco 321-734. 10459144
XZQ797 DIODES TRIO DR 30SI		DELCO 10456389 1876797 ECHLIN AC63 TRANSPO D797	DELCO 30 SI Alternators
XZQ1001 DIODE TRIO DR 27SI		DELCO 1977064 D3914 D3918 D3921 TRANSPO D1001 WAI 33-102 33-102-1	Delco 27IS, Type 100/200 Alternators
XZQ524 DIODE TRIO DR 11SI		DELCO 1984032 3472312 7982635 DR3901 LUCAS 21226103 UZB700 OPEL 1205436 TRANSPO DER524	European & South American Vehicles with Delco 11SI Alternators
XZQ22 DIODE TRIO DR 22SI With Quick-Start Circuit		DELCO 10487805 TRANSPO DT22 UNIPOINT DIO-014 WAI 33-108	DELCO 22 SI Alternators
XZQ8010 DIODE AXIAL 1.0A Diode:1.0 Ampere 200V ,0.01mA		A.L.M AD-0713D CARGO 130937 CPC ADME-0111 TRANSPO 8010	
XZQ8015 DIODE AXIAL 1.5A Diode:1.5 Ampere 200V ,0.5mA		A.L.M AD-0713D CPC ADME-011 TRANSPO 8015 WAI 32-8904	
XZQ8025 DIODE AXIAL 2.5A Diode:2.5 Ampere 200V ,0.5mA		RENARD 7502 TRANSPO 8025 WAI 32-8908	
XZQ8030 DIODE AXIAL 30A Diode:3.0 Ampere 200V,0.5mA		DELCO 1964187 CARGO 131294 TRANSPO 8030 WAI 32-8905	
XZQ8125L DIODE BITTON 25 A POS Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):8.5 OD*31OAL Lead(mm):1.4Dia*25L		HUCO 13929 TRANSPO 8125L WAI 32-726	
XZQ8126L DIODE BITTON 25 A NEG Diode:NEGATIVE,25 Ampere 200V,0.1mA Dim(mm):8.5 OD*31 OAL Lead(mm):1.4Dia*5L		HUCO 139428 TRANSPO 8126L WAI 32-725	
XZQ8135 DIODE BITTON 35 AMP AVL Diode:35 Ampere Avlanche 24-32 Volt,0.05mA Dim(mm):8.5 ODX6T		TRANSPO 8135 WAI 32-731	
XZQ8150 DIODE BITTON 50 A Diode:50 Ampere 200V,0.1mA Dim(mm):8.5 OD*6T		HUCO 139422 TRANSPO 8150 WAI 32-735	
XZQ8150		RENARD 7628	

ALD №	Фото	OE №	Применяемость
XZQ8150L DIODE BUTTON 50 A Diode:POSITIVE 50 Ampere 200V,0.1mA Dim(mm):8.5 OD*6T Lead(mm):1.4DiaX25L		TRANSPO 8150L WAI 32-728	
XZQ8151L DIODE BUTTON 50 A Diode:NEGATIVE 50 Ampere 200V,0.1mA Dim(mm):8.5 OD*31OAL Lead(mm):1.4DiaX25L		RENARD 7629 TRANSPO 8151L WAI 32-727	
XZQ8153 DIODE BUTTON 50 A Diode:NEGATIVE 50 Ampere Avlanche 24-32 Volt,0.05mA Dim(mm):8.5 OD*31OAL		RENARD AU109 TRANSPO 8153 WAI 32-705	
XZQ8170 DIODE BUTTON 70 A JBO Diode: 70 Ampere 200V,0.1MA Dim(mm):10 OD*6T		RENARD 7643 TRANSPO 8170 WAI 32-779	
XZQ7220 DIODE DISH 20 A POS Diode: POSITIVE 70 Ampere 200V,0.05MA Dim(mm)8.4 OD*19OAL Lead(mm):1.5Dia		TOSHIBA 20FC11 HUCO 139419 TRANSPO 7220 WAI 32-8910	
XZQ7221 DIODE DISH 20 A NEG Diode: NEGATIVE 20 Ampere 200V,0.05MA Dim(mm)8.4 OD*23OAL Lead(mm):1.5Dia		TOSHIBA 20FD11 TRANSPO 7221 WAI 32-8909	
XZQ7230 DIODE DISH 30 A POS Diode: POSITIVE 30 Ampere 200V,0.05MA Dim(mm)9.5 OD*19OAL Lead(mm):1.5Dia		TOSHIBA 30FC11 TRANSPO 7230 WAI 32-8918	
XZQ7231 DIODE DISH 30 A NEG Diode:NEGATIVE,30 Ampere 200V,0.05mA Dim(mm):9.5 OD*23 OAL Lead(mm):1.5 Dia		TOSHIBA 30FD11 TRANSPO 7231 WAI 32-8917	
XZQ8520 DIODE CAN 20 A POS Diode:POSITIVE,20 Ampere 200V,0.1mA Dim(mm):8.8 OD *24.8 OAL Lead(mm):1.5 Dia*17.6L		JUSTPARTS F11460P MOBILETRON DD-1008 TRANSPO 8520	
XZQ8521 DIODE CAN 20 A NEG Diode:NEGATIVE,20 Ampere 200V,0.1mA Dim(mm):8.8 OD *24.8 OAL Lead(mm):1.5 Dia*17.6L		MOBILETRON DD-1007 TRANSPO 8521 WAI 32-701	
XZQ8524 DIODE CAN 20 A NEG Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):8.8 OD *21 OAL Lead(mm):1.5 Dia*17.6L		MOBILETRON DD-1011 TRANSPO 8524 WAI 32-702-1	
XZQ8525 DIODE CAN 20 A NEG Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):8.8 OD *21 OAL Lead(mm):1.5 Dia*14L		MOBILETRON DD-1010 TRANSPO 8525 WAI 32-701-1	
XZQ8526 DIODE CAN 25 A POS Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):8.8 OD*18 OAL Lead(mm):Fork			

ALD №	Фото	OE №	Применяемость
XZQ8527 DIODE CAN 25 A NEG Diode:NEGATIVE,25 Ampere 200V,0.1mA Dim(mm):8.8 OD *18 OAL Lead(mm):Fork			
XZQ8550 DIODE CAN 50 A POS Diode:POSITIVE,50 Ampere 200V,0.1mA Dim(mm):8.8 OD*18 OAL Lead(mm):1.5 Dia*11L		TRANSPO 8550	
XZQ8551 DIODE CAN 50 A NEG Diode:NEGATIVE,50 Ampere 200V,0.1mA Dim(mm):8.8 OD*21 OAL Lead(mm):1.5 Dia*14L		TRANSPO 8551	
XZQ8528 DIODE 25A POS Diode:POSITIVE 25 AMP PRESS FIT 200V,0.1mA Dim(mm):11mm Lead(mm):1.25Dia*13L		S16	
XZQ8529 DIODE 25A NEG Diode:NEGATIVE 25 AMP PRESS FIT 200V,0.1mA Dim(mm):11mm Lead(mm):1.25Dia*13L		S15	
XZQ8330 DIODE MI BLOCK 30A POS Diode:POSITIVE 30 AMP 200V,0.1mA		CARGO 133704 TRANSPO 8330 WAI 32-8300	
XZQ8331 DIODE MI BLOCK 30A POS Diode:NEGATIVE 30 AMP 200V,0.1mA		CARGO 133705 TRANSPO 8331 WAI 32-8301	
XZQ8334 DIODE MI BLOCK 35 A POS Diode:POSITIVE,35 Ampere 200V,0.1mA		TRANSPO 8334 WAI 32-8303	Mando,Mitsubishi,Mido
XZQ8335 DIODE MI BLOCK 35 A NEG Diode:NEGATIVE,35 Ampere 200V,0.1mA		TRANSPO 8335 WAI 32-8304	Mando,Mitsubishi,Mido
XZQ8340 DIODE MI BLOCK 40 A NEG Diode:POSITIVE,40 Ampere 200V,0.1mA		TRANSPO 8340	
XZQ8341 DIODE MI BLOCK 40 A NEG Diode:NEGATIVE,40 Ampere 200V,0.1mA		TRANSPO 8341	
XZQ8724 DIODE MO PF 25 A POS Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*27 OAL Lead(mm):1.3Dia*19L		MOBILETRON DD-1013 TRANSPO 8724 WAI 32-749	
XZQ8725 DIODE MO PF 25 NEG Diode:NEGATIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*27 OAL Lead(mm):1.3Dia*19L		MOBILETRON DD-1012 TRANSPO 8725 WAI 32-748	
XZQ8734 DIODE MO PF 35 A POS Diode:NEGATIVE,35 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*27 OAL Lead(mm):1.3Dia*18L		MOBILETRON DD-1015 TRANSPO 8734 WAI 32-720	
XZQ8735 DIODE MO PF35 A NEG Diode:NEGATIVE;35 Ampere 200V,0.1mA		MOBILETRON DD-1014 TRANSPO 8735 WAI 32-719	

ALD №	Фото	OE №	Применяемость
Dim(mm):12.7(1/2")OD*27 OAL Lead(mm):1.3Dia*18L			
XZQ8752 DIODE MO PF 50 A POS Diode:POSITIVE,50 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*20 OAL Lead(mm):2.5Dia*11L		TRANSPO 8752 WAGNER W04X-05 WAI 32-755	
XZQ8753 DIODE MO PF 50 A NEG Diode:NEGATIVE,50 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*20 OAL Lead(mm):2.5Dia*11L		TRANSPO 8753 WAGNER W04X-05 WAI 32-755	
XZQ8772 DIODE MO PF 70 POS Diode:POSITIVE,70 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*20 OAL Lead(mm):2.5Dia*11L		TRANSPO 8772 WAGNER W04X-06 WAI 32-754	
XZQ8773 DIODE MO PF 70 NEG Diode:NEGATIVE,70, Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD*20 OAL Lead(mm):2.5Dia*11L		TRANSPO 8773 WAGNER W04X-36 WAI 32-787	
XZQ8824 DIODE CH PF 25 A POS Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Lead(mm):Hook		CHRYSLER 3000047 CH4005 TRANSPO 8824 WAI 32-303	
XZQ8825 DIODE CH PF 25 A NEG Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Lead(mm):Hook		DELCO 3000046 CH4004 TRANSPO 8825 WAI 32-302	
XZQ8960 DIODE CH PF 25 A POS Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Popular for Delco 10DN		DELCO 1852928 1959830 D3910 TRANSPO 8960 WAI 32-108	
XZQ8961 DIODE DR PF 25 A NEG Diode:NEGATIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Popular for Delco 10DN		DELCO 1852929 1959830 D3911 MOBILETRON DD-1001 TRANSPO 8961 WAI 32-107	
XZQ8980 DIODE DR PF 25 A POS Diode:POSITIVE,25 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Popular for Delco 25SI		DELCO 1971672 MOBILETRON DD-1004 TRANSPO 8980 WAI 32-103	
XZQ8981 DIODE DR PF 35 A NEG Diode:NEGATIVE,35 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Popular for Delco 25SI		DELCO 1971671 MOBILETRON DD-1003 TRANSPO 8981 WAI 321-102	
XZQ79084 DIODE LN PF POS W/LEAD Diode:POSITIVE,35 Ampere 200V,0.1mA Dim(mm):12.7(1/2")OD Lead(mm):139(5-1/2")L		LEECE NEVILLE 79084 TRANSPO LR79084 WAI 32-501 WAGNER L04-07	Leecd Neville 65-105A JB-Series
XZQ77325 DIODE LN PF POS W/LEAD Diode:POSITIVE,35 Amp 200V,0.1mA Dim(mm):12.7(1/2")OD Lead(mm):139(5-1/2")L		LEECE NEVILLE 77325 TRANSPO LR77325 WAI 32-500	Leecd Neville 65-105A JB-Series
XZQ8224 DIODE BO PF 25 A POS Diode:POSTIVE,25 Amp		BOSCH 0270100101 0270100102 0270100111 270100114 MOBILETRON DD-1021 TRANSPO 8224	

ALD №	Фото	OE №	Применяемость
200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L			
XZQ8225 DIODE BO PF 25 A NEG Diode:NEGATIVE,25 Amp 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		BOSCH 0270100406 0270100412 0270100414 270100418 MOBILETRON DD-1020 TRANSPO 8225	
XZQ8234 DIODE BO PF35 A POS Diode:POSITIVE,35 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		BOSCH 0270100105 0270100311 0270100313 MOBILETRON DD-1050 TRANSPO 8234 WAI 32-9101	
XZQ8235 DIODE BO PF 35 A NEG Diode:NEGATIVE,35 Amp 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		BOSCH 0270100354 0270100358 0270100364 MOBILETRON DD-1049 TRANSPO 8235 WAI 32-9100	
XZQ8240 DIODE BO PF 40 A POS Diode:POSITIVE,40 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		BOSCH 0270100373 0270100375 0270100383 TRANSPO 8240 WAI 32-206	
XZQ8241 DIODE BO PF 40 A NEG Diode:NEGATIVE,40 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		BOSCH 0270100374 0270100376 0270100384 TRANSPO 8241 WAI 32-205	
XZQ8252 DIODE BO PF 50 A POS Diode:POSITIVE,50 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8252 WAI 32-200	
XZQ8253 DIODE BO PF 50 A NEG Diode:NEGATIVE,50 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8253 WAI 32-201	
XZQ8270 DIODE BO PF 70 A POS Diode:POSITIVE,70 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8270 WAGNER W104X-42	
XZQ8271 DIODE BO PF 70 A NEG Diode:NEGATIVE,70 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8271 WAGNER W04X-41	
XZQ8440 DIODE BO PF 40 A POS Diode:POSITIVE,40 Ampere Avalanche 19-25 volt 0.5ma Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.25Dia*22L		TRANSPO 8440 WAGNER W04X-38	
XZQ8441 DIODE BO PF 40 A NEG Diode:NEGATIVE,40 Ampere Avalanche 19-25 volt 0.5ma Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.25Dia*22L		TRANSPO 8441 WAGNER W04X-37	
XZQ8454 DIODE BO PF 50 A POS Diode:POSITIVE,50 Ampere Avalanche 19-25 volt 0.5ma Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8454 WAGNER W04X-40 WAI 32-9103	
XZQ8455 DIODE BO PF 50 A NEG		TRANSPO 8455 WAGNER W04X-39 WAI 32-9102	

ALD №	Фото	OE №	Применяемость
Diode:NEGITIVE,50 Ampere Avalanche 19-25 volt 0.5ma Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L			
XZQ8466 DIODE BO PF 50 A POS Diode:POSITIVE,50 Ampere Avalanche 19-25 volt 0.05ma Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8466 WAGNER W04X-44	
XZQ8467 DIODE MO PF 50 A NEG Diode:NEGITIVE,50 Ampere Avalanche 37-41 volt 0.05ma Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3Dia*22L		TRANSPO 8467 WAGNER W04X-43	
XZQ8624 DIODE HI PF 25 A POS Diode:POSITIVE,25 Ampere 200V,0.05mA Dim(mm):13OD*27 OAL Lead Fork:15mmL		HITACHI Q06B NISSAN 2323165002 TRANSPO 8624 WAI 32-8101	
XZQ8625 DIODE HI PF 25 A NEG Diode:NEGITIVE,25 Ampere 200V,0.05mA Dim(mm):13OD*27 OAL Lead Fork:15mmL		HITACHI Q05B TRANSPO 8625 WAI 32-8100	
XZQ8630 DIODE HI PF 30 A POS Diode:POSITIVE,30 Ampere 200V,0.05mA Dim(mm):11.5OD*20 OAL Lead(mm):1.4Dia*16L		TRANSPO 8630 WAGNER W045-03 WAI 32-8105	
XZQ8631 DIODE HI PF 30 A POS Diode:POSITIVE,30 Ampere 200V,0.05mA Dim(mm):11.5OD*22 OAL Lead(mm):1.4Dia*18L		TRANSPO 6831 WAGNER W045-02 WAI 32-8104	
XZQ8652 DIODE HI PF 50 A POS Diode:POSITIVE,50 Ampere 200V,0.05mA Dim(mm):11.5OD*20 OAL Lead(mm):1.4Dia*16L		CARGO 138636 TRANSPO 8652 WAI 32-8107	
XZQ8653 DIODE HI PF 50 A POS Diode:NEGATIVE,50 Ampere 200V,0.05mA Dim(mm):11.5OD*22 OAL Lead(mm):1.4Dia*18L		CARGO 138637 TRANSPO 8653 WAI 32-8106	
XZQ8660 DIODE HI PF 50 A POS Diode:POSITIVE,50 Ampere Avalanche 24-32volt 0.05mA Dim(mm):11.5OD*20 OAL Lead(mm):1.4Dia*16L		TRANSPO 8660 WAGNER W045-05 WAI 32-8109	
XZQ8661 DIODE HI PF 50 A NEG Diode:NEGATIVE,50 Ampere Avalanche 24-32volt 0.05mA Dim(mm):11.5OD*22 OAL Lead(mm):1.4Dia*18L		TRANSPO 8661 WAGNER W045-04 WAI 32-8108	
XZQ9230 DIODE LU PF 30 A NEG Diode:NEGATIVE,30 Ampere 200V,0.1mA Dim(mm):10OD*25 OAL Lead(mm):1.3Dia*17L		TRANSPO 9230 WAGNER W04X-22 WAI 32-9203	
XZQ9231 DIODE LU PF 30 A POS Diode:POSITIVE,30 Ampere 200V,0.1mA Dim(mm):10OD*21 OAL Lead(mm):1.3Dia*13L		TRANSPO 9231 WAGNER W04X-23 WAI 32-9202	
XZQ9234		TRANSPO 9234	

ALD №	Фото	OE №	Применяемость
DIODE BO PF 35 A POS Diode:POSITIVE,35 Ampere 200V,0.1mA Dim(mm):10 OD*21 OAL Lead(mm):1.3Dia*13L			
XZQ9235 DIODE PF 35 A NEG Diode:NEGATIVE,35 Ampere 200V,0.1mA Dim(mm):10 OD*25 OAL Lead(mm):1.3Dia*17L		TRANSPO 9235	
XZQ4351 DIODE BO PF 35 A POS AVAL Diode:POSITIVE,35 Ampere Avlanche 19-25 Volt,0.5mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4352 DIODE BO PF 35 A NEG AVAL Diode:NEGATIVE,35 Ampere Avlanche 19-25 Volt,0.5mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4353 DIODE BO PF 35A POS Diode:POSITIVE 35 AMP 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4354 DIODE BO PF 35A NEG Diode:NEGATIVE 35 AMP 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4501 DIODE BO PF 50 A POS AVAL Diode:POSITIVE,50 Ampere Avalanche 19-25 Volt,0.5mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4502 DIODE BO PF 50 A NEG AVAL Diode:NEGATIVE,50 Ampere Avalanche 19-25 Volt,0.5mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4503 DIODE BO PF 35 A POS Diode:POSATIVE,50 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ4504 DIODE BO PF 50 A NEG Diode:NEGATIVE,35 Ampere 200V,0.1mA Dim(mm):12.8(1/2")OD*30 OAL Lead(mm):1.3DIA*22L			
XZQ5001 DIODE STRD MOUNT 50 A N POS Diode:POSITIVE,50 Ampere 200V,0.05mA Stud:M6		BWD SC122 CARGO 133495 ECHLIN AC 3P J&N ELECTRIC 171-06000 LECLERCQ 009-0097 NAPA AC3P TRANSPO 1120 RENARD 547040	
XZQ5002 DIODE STUD MOUNT 50 A NEG Diode:NEGATIVE,50 Ampere 200V,0.05mA Stud:M6		J&N ELECTRIC 171-06001 LECLERCQ 009-0098 TRANSPO 1120R WAGNER D04-09 WAI 32-768 WIEGEL DIOLN800064	
XZQ7001 DIODE STUD MOUNT 70 A POS Diode:POSITIVE,70 Ampere 200V,0.05mA Stud:M6		BWD SC122 CARGO 133495 ECHLIN AC 3P J&N ELECTRIC 171-06000 LECLERCQ 009-0097 NAPA AC3P TRANSPO 1120 RENARD 547040	

ALD №	Фото	OE №	Применяемость
XZQ7002 DIODE STUD MOUNT 70 A NEG Diode:NEGATIVE,70 Ampere 200V,0.05mA Stud:M6		J&NELECTRIC 171-06001 LECLERCQ 009-0098 TRANSPO 1120R WAGNER D04-09 WAI 32-768 WIEGEL DIOLN800064	